

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Web History](#) | [Search settings](#) | [Sign in](#)


[Advanced Search](#)
[Web](#) [Show options...](#)

Results 1 - 30 of about 2,951

Oracle Expert Methodology

The **Instance class** data refers to the **instance** parameters and **instance** statistics information [collected by **Oracle** Expert not necessarily collected from V\$...

[download.oracle.com/docs/cd/B10501_01/em.../meth.htm](#) - [Cached](#) - [Similar](#)

Collecting the Data

When you collect the **Instance class** during a peak period, **Oracle** Expert uses ...

[download.oracle.com/docs/cd/B10500_01/em.920/a86647/collect.htm](#)

Index (OracleAS Integration B2B Instance Data Access Java API ...

InstanceMessage. This **class** gives an **instance** of the b2b message ...

[download.oracle.com/docs/cd/B14099_19/integrate.1012/.../index-all.html](#)

[More results from download.oracle.com ...](#)

JavaRenderer (PDK for Java 10.1.3.2.0)

Validates the internal state of this JavaRenderer **instance**. Methods inherited from **class oracle.portal.provider.v2.render.http.BaseManagedRenderer ...**

[www.oracle.com/technology/.../files/.../oracle/.../JavaRenderer.html](#) - [Cached](#)

UniqueConstraint

Fields inherited from **class oracle.javatools.db.Constraint** ... Copies the state of this DBObject to another **instance**. boolean, equals(java.lang. ...

[www.oracle.com/technology/.../oracle/.../UniqueConstraint.html](#) - [Cached](#) - [Similar](#)

[Show more results from www.oracle.com](#)

J-Index (Oracle Containers for J2EE Security Java API Reference)

This **class** represents a <jazn-web-app> Configuration **instance**. JAZNWebAppConfig(Properties) - Constructor for **class oracle.security.jazn. ...**

[otndnid.oracle.co.jp/document/products/as10g/.../index-10.html](#) - [Cached](#)

IBM - wrong ELF class: ELFCLASS64 during instance creation with ...

You may get the following error during **instance** creation if you are using the 64-bit ... wrong ELF **class**: ELFCLASS64 during **instance** creation with **Oracle** 9i ...

[www.ibm.com › Software › WebSphere › WebSphere Commerce](#) - [Cached](#)

Class oracle.jdbc.pool.OracleDataSource

public **class** OracleDataSource; extends Object; implements Serializable Get the **Oracle** JDBC driver type set for this datasource **instance** ...

[www.princeton.edu/storacle/.../oracle.jdbc.pool.OracleDataSource.html](#) - [Cached](#)

Class oracle.sql.STRUCT

Parameters: clazz - the **class** to map the receiver into. map - used to map any embedded **Oracle** objects. Returns: an **instance** of the passed **class** representing ...

[www.orindasoft.com/public/Oracle.../oracle.sql.STRUCT.html](#) - [Similar](#)

Class oracle.jdbc.xa.OracleXAResource

Class oracle.jdbc.xa.OracleXAResource. java.lang. ... This method is called to determine if the resource manager **instance** represented by the target object ...

[www.orindasoft.com/.../Oracle.../oracle.jdbc.xa.OracleXAResource.html](#)

[Show more results from www.orindasoft.com](#)

Oracle Instance Caging tips

Oracle FA 11i **class** ... **Oracle instance** caging in **Oracle** Database Resource Manager.

Oracle notes that their **Oracle Instance** Caging utility is used in ...

www.dba-oracle.com/t_instance_caging.htm - [Cached](#)

ORA-01092: ORACLE instance terminated

Oracle FA 11i **class** ... The ORA-01092: **ORACLE instance** terminated error can be caused by many factors, and I've seen there: A shutdown abort ...

www.dba-oracle.com/t_ora_01092_oracle_instance_terminated.htm - [Cached](#) - [Similar](#)

[Show more results from www.dba-oracle.com](#)

'not an instance of declaring class' on Weblogic-Oracle - Parth ...

Jul 6, 2008 ... Subject: 'not an **instance** of declaring **class**' on Weblogic-**Oracle**, Actions...

From: Parth Pandya (ppan...@avoka.com) ...

markmail.org/message/hclsphw5ptxfy6u2 - [Cached](#) - [Similar](#)

Connection Pooling and Caching

Connection Pool Data Source Interface and **Oracle** Implementation ... A pooled connection **instance** is an **instance** of a **class** that implements the standard ...

www.mscd.edu/~itfsdba/oradoc817/java.817/.../connpoc2.htm - [Cached](#) - [Similar](#)

Nabble - Cayenne - User - 'not an instance of declaring class' on ...

2 posts - 1 author - Last post: Jul 7, 2008

'not an **instance** of declaring **class**' on Weblogic-**Oracle**. Hi Guys, I'm getting "

java.lang.IllegalArgumentException: object is not an **instance** ...

n3.nabble.com/not-an-instance-of-declaring-class-on-Weblogic-Oracle-td6319.html -

[Cached](#)

Error on import to Oracle backed JIRA instance - SQL Exception ...

For a Tomcat hosted **instance** please add SetBigStringTryClob=true to the ... <driver-**class**>**oracle.jdbc.driver.OracleDriver**</driver-**class**>

confluence.atlassian.com/.../Error+on+import+to+Oracle+backed+JIRA+instance+-+SQL+Exception...+Data+size+bigger+than+max+si... - [Cached](#) - [Similar](#)

Java : Difference of Class Variable and Instance Variable

I have specific experience with the **class oracle.jdbc.driver**. ... static initialization block in which it creates an **instance** of itself and then passes that ...

www.sap-img.com/.../difference-between-without-newinstance-and-with-newinstance.htm -

[Cached](#) - [Similar](#)

UniversalConnectionPoolManagerImpl (Oracle® Universal Connection ...

This is a singleton **class** and only one **instance** exists in a JVM. Nested **Class** Summary.

Nested classes/interfaces inherited from **class oracle.ucp.admin**. ...

download-uk.oracle.com/.../oracle/.../UniversalConnectionPoolManagerImpl.html - [Cached](#)

Java Class - TruTek - The Oracle Experts

Oracle E-Business Suite R11i-R12 Technical Upgrade ... When you create an **instance** of a **class**, the system allocates enough memory for the object and all its ...

www.trutek.com/index.php?id=65 - [Cached](#)

oracle driver class.oracle driver class Tutorial, Tutorials oracle ...

For example, this is where the driver for the **Oracle** database may... Java:

Local/**Instance/Class** Java NotesLocal/**Instance/Class** Variables There are ...

www.roseindia.net/tutorialsearch/?t=oracle%20driver%20class - [Cached](#)

Oracle Extensions

When you construct a CHAR object, you must provide character set information to the CHAR object by way of an **instance** of the **oracle.sql.CharacterSet class**. ...

db.ucsd.edu/CSE132B-S01/jdbc_doc/oraext2.htm - [Cached](#)

install 10g , can't start database instance - Database Forum

1 post - 1 author - Last post: Nov 1, 2004

ContextInitializer contextInitialized.256 - Integration **Class** not found: **oracle**.

tip.oem.central.instance.ProcessConnectInstancelntg...

dbaspot.com » Database Forum » Oracle Database » Oracle Server - [Cached](#)

C-Index (Oracle ADF Business Components Domains API Reference 10.1.2)

ClobDomain(String) - Constructor for **class oracle.jbo.domain.ClobDomain**: Constructs an **instance** of this **class**, given a string. ...

web.deu.edu.tr/doc/oracle/B14099_16/web.1012/.../index-3.html - [Cached](#)

N-Index (Oracle Secure Enterprise Search Java API Reference)

GeneralService: Get a new **instance** of the List of values object; nextCrawl - Variable in **class oracle.search.admin.ws.client.ScheduleStatus** ...

stanford.edu/dept/itss/docs/oracle/10gR2/search.../index-10.html - [Cached](#)

Java - Can u assign an instance of a class which implements an ...

Jun 8, 2005 ... Object is an **instance** of the **class** and **class** is templete for the object

Querying Data with **Oracle** XQuery Starting with **Oracle** Database ...

www.geekinterview.com > Placement Papers > Oracle > Java - [Cached](#)

Oracle Business Components for Java 3.2: Class ...

Fields inherited from **class oracle.jbo.server.DefObject**. mCompUsageList, mCompUsages Returns: the server **class** of a RemoteServer **instance**, or null. ...

<https://webbanking.bancoripley.cit/.../oracle/.../ApplicationModuleDefImpl.html> - [Cached](#)

DBIx-Class-Schema-Loader-DBI-Oracle reviews - CPAN Ratings (Gamma)

Nov 14, 2007 ... My suggestion: Merge and fix the documentation (eg. the DBD::Oracle speed hint) into the DBIx-Class-Schema-Loader **instance**, no longer hide ...

cpanratings.perl.org/d/DBIx-Class-Schema-Loader-DBI-Oracle - [Cached](#)

The Oracle at Delphi » Better smart-linking through class construction

May 29, 2009 ... The **Oracle** at Delphi **Class** constructors (or type initializers) differ from **instance** constructors in that it is execute before any ...

blogs.embarcadero.com/abauer/2009/05/29/38888 - [Cached](#) - [Similar](#)

mina tankar: Oracle Lite, JDeveloper and Invalid Oracle URL ...

Sep 5, 2007 ... Change the factory-**class** to **oracle.lite.poljdbc**. ... Specifying the Default ESB Design Time **Instance** · Coherence 3.4 Developer Pre-Release ...

beautifulwaste.blogspot.com/.../oracle-lite-jdeveloper-and-invalid.html - [Cached](#)

Working with Oracle Object Types

If you choose not to supply a custom Java **class** for your SQL-Java mapping for an **Oracle** object, then **Oracle** JDBC will materialize the object as an **instance** ...

www.cs.otago.ac.nz/oradocs/java.817/a83724/oracoot2.htm

Oracle 8i DBA - Oracle Instance, the Start-up and Shutdown ...

The course is aimed at familiarizing the learner with the **Oracle instance**. ... **Oracle 8i DBA - Oracle Instance, the Start-up and Shutdown Procedure Training Class** ... Request More Information On **Oracle 8i DBA - Oracle Instance**, ...

www.trainup.com/...Oracle/Oracle-8i-DBA---Oracle-Instance-the-Start-up-and-Shutdown-Procedure-457.htm - [Cached](#) - [Similar](#)

9 Oracle Ultra Search Developer's Guide and API Reference

If the schema user owns only one **Oracle** Ultra Search **instance**, then this is optional

Instance class. The attributes of tag map to the parameters of the ...

<https://students.kiv.zcu.cz/doc/oracle/ultra.102/b14222/api.htm> - [Cached](#)

Searches related to: instance class oracle

[oracle database instances](#)

[oracle database training](#)

[oracle object oriented database](#)

[oracle create instance](#)

[oracle instance wiki](#)

[stop oracle instance](#)

[oracle 10g instance](#)

[oracle select instance](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)